






SiPLGA Package
100-Lead (16mm × 16mm)
 (Reference LTC DWG# 05-08-1802 Rev A)



ROWS
 AF
 AE
 AD
 AC
 AB
 AA
 Y
 W
 V
 U
 S
 R
 P
 N
 M
 L
 K
 J
 H
 G
 F
 E
 D
 C
 B
 A

NOTES:

1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994
2. ALL DIMENSIONS ARE IN MILLIMETERS
- 3 LAND DESIGNATION PER JESD MO-222, SPP-010
- 4 DETAILS OF PAD #1 IDENTIFIER ARE OPTIONAL, BUT MUST BE LOCATED WITHIN THE ZONE INDICATED. THE PAD #1 IDENTIFIER MAY BE EITHER A MOLD OR MARKED FEATURE
- 5 PRIMARY DATUM -Z- IS SEATING PLANE
6. DIMENSION (b) IS MEASURED AT THE MAXIMUM LAND WIDTH, PARALLEL TO PRIMARY DATUM -Z-
7. TOTAL NUMBER OF PADS: 104 TOTAL (100 PERIPHERAL + 4 COMMON CENTER)
- 8 PACKAGE ROW AND COLUMN LABELING MAY VARY AMONG μModule PRODUCTS. REVIEW EACH PACKAGE LAYOUT CAREFULLY

SYMBOL	TOLERANCE
aaa	0.10
bbb	0.10
eee	0.03

SIPLGA 100 1212 REV A